Author Index Volume 5 (1987)

(The issue number is given in front of page numbers)

Agresti, A. and MC. Yang, An empirical investigation of some effects of sparseness in contingency tables ¹	(1) 9- 21
Alemayehu Melaku and G. Sadasivan, L_1 -norm and other methods for sample	(1) >- 21
allocation in multivariate stratified surveys 1	(4) 415-423
Baba, Y., Graphical prediction method based on categorical data ¹	$\begin{array}{cccc} (4) & 415 & -425 \\ (2) & 85 & -101 \end{array}$
Best, D.J. and J.C.W. Rayner, Goodness-of-fit for grouped data using components	(2) 63-101
of Pearson's $X^{2/2}$	(1) 53- 57
Bradu, D., An ε-median polish algorithm 1	(4) 327–336
Brennan, J.J. and L.M. Seiford, Linear programming and l_1 regression: A geomet-	(4) 321-330
ric interpretation 1	(4) 263–276
Brown, M.B., see P.A. Gimotty	(3) 201–213
Čap, J., see J. Militký	(4) 381–389
Dodge, Y., An introduction to L_1 -norm based statistical data analysis ²	(4) 239–253
Farebrother, R.W., The theory of committee decisions and the double median	(1) 201 200
method 1	(4) 437-442
Fernández Palacín, A., see J. Muñoz Perez	(4) 391–397
Forsythe, A.B., Validity and power of tests when groups have been balanced for	(.,,
prognostic factors ¹	(3) 193-200
Galpin, J.S. and D.M. Hawkins, Methods of L_1 estimation of a covariance matrix ¹	(4) 305-319
Gimotty, P.A. and M.B. Brown, The effect of imputed values on the distribution of	(),
the goodness-of-fit chi-square statistic ¹	$(3)\ 201-213$
Goto, M., see K. Wakimoto	(2) 83- 84
Goto, M., see Y. Matsubara	(2) 103-112
Goto, M., see T. Tasaki	(2) 113–125
Gunst, R.F., see W.A. Woodward	(3) 163–176
Gupta, P.L. and R.D. Gupta, Sample size determination in estimating a covariance	
matrix 1	(3) 185 - 192
Gupta, R.C. and R.D. Gupta, A comparison of various estimators of reliability ²	$(3)\ 215-226$
Gupta, R.D., see P.L. Gupta	(3) 185 - 192
Gupta, R.D., see R.C. Gupta	$(3)\ 215-226$
Guttman, I., see B. Reiser	(1) 59- 66
Györfi, L. and E.C. van der Meulen, Density-free convergence properties of various	
estimators of entropy ¹	(4) 425-436
Hawkins, D.M., see J.S. Galpin	(4) 305 - 319
Heiser, W.J., Correspondence analysis with least absolute residuals 1	(4) 337-356
Herbert, J.H., Data matters - Specification and estimation of natural gas demands	
per customer in the Northeastern United States ²	(1) 67- 78
Huber, P.J. , The place of the L_1 -norm in robust estimation ¹	(4) 255-262
Jajuga, K. , Clustering method based on L_1 -norm ¹	(4) 357 - 371
Kærgård, N., Estimation criterion, residuals and prediction evaluation 1	(4) 443-450

Appeared in Section I (Methodology).
Appeared in Section II (Applications and Comparative Studies).
Appeared in Section III (Notes).

Kang, L., see K. Wakimoto	(2) 137 - 147
Kappenman, R.F., A nonparametric data based univariate density function estimate 1	(1) 1- 7
Khan, K.A., see D.S. Tracy	(4) 373 - 380
Květoň, K., Method of averages as an alternative to L_1 - and L_2 -norm methods in	
special linear regression problems ¹	(4) 407 - 414
Levy, M.S., A numerical comparison of some prediction densities for the normal	
linear model ²	(1) 45- 51
Matsubara, Y., Y. Tsuchiya and M. Goto, Graphical comparisons of multivariate	
data ¹	$(2)\ 103-112$
McConnell, C.R., On computing a best discrete L_1 approximation using the method	
of vanishing Jacobians 1	(4) 277 - 288
Mélard, G. and R. Roy, On confidence intervals and tests for autocorrelations 1	(1) 31- 44
Menéndez, J.A. and B. Salvador, An algorithm for isotonic median regression 1	(4) 399-406
Meulen, E.C. van der, see L. Györi	(4) 425 - 436
Mickey, R.M., Assessment of three way interaction in $2 \times J \times K$ tables ¹	(1) 23- 30
Militký, J. and J. Čáp, Application of the Bayes approach to adaptive L_p nonlinear	` '
regression	(4) 381 - 389
Muñoz Perez, J. and A. Fernández Palacín, Estimating the quantile function by	()
Bernstein polynomials ¹	(4) 391-397
Odaka, Y., see K. Wakimoto	(2) 137–147
Rayner, J.C.W., see D.J. Best	(1) 53- 57
Reiser, B. and I. Guttman, A comparison of three point estimators for $P(Y < X)$ in	(1) 00 01
the normal case ²	(1) 59- 66
Roy, R., see G. Mélard	(1) 31- 41
Sadasivan, G., see Alemayehu Melaku	(4) 415-423
Saleh, A.K.Md.E. and P.K. Sen, On the asymptotic distributional risk properties of	(1) 110 120
pre-test and shrinkage L_1 -estimators ¹	(4) 289-299
Salvador, B., see J.A. Menéndez	(4) 399–406
Seiford, L.M., see J.J. Brennan	(4) 263–276
Sen, P.K., see A.K.Md.E. Saleh	(4) 289–299
Shirahata, S., A goodness of fit test based on some graphical representation when	(.,
parameters are estimated ¹	(2) 127-136
Sposito, V.A., On median polish and L_1 estimators ¹	(3) 155–162
Su Chun, Some results on the L_p -convergence ($p \ge 1$) of U-statistics ¹	(4) 321–326
Tasaki, T., A. Yoden and M. Goto , Graphical data analysis in comparative experi-	(.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
mental studies ¹	(2) 113-125
Tracy, D.S. and K.A. Khan, MRPP tests in L_1 -norm ¹	(4) 373–380
Tsuchiya, Y., see Y. Matsubara	(2) 103–112
Wakimoto, K. and M. Goto, Graphical representation and practical data analysis	(=)
(Editorial)	(2) 83-84
Wakimoto, K., Y. Odaka and L. Kang, Testing the goodness of fit of the multinomial	(=)
distribution based on graphical representation ¹	(2) 137-147
Withers, C.S., The bias and skewness of L_1 -estimates in regression ¹	(4) 301–303
Woodward, W.A. and R.F. Gunst, Using mixtures of Weibull distributions to	(,) 551 555
estimate mixing proportions ¹	(3) 163–176
Yang, MC., see A. Agresti	(1) 9- 21
Yoden, A., see T. Tasaki	(2) 113–125
Zelterman, D., Parameter estimation in the generalized logistic distribution ¹	(3) 177–184
, - i, - ii minimi vi iii iii gonoriii ii ono gonorii ii ono gonorii ii iii ono gonorii ii iii ono gonorii ii iii ono gonorii ii ono gonorii	(-)

Package Report/Review Index Volume 5 (1987)

(The issue number is given in front of page numbers)

CoHort Software	(2) 150
SPSS Data Entry II	(3) 235
SPSS Forecasting and Time Series Analysis Option to	
SPSS/PC +	(3) 234
SPSS-X Capture for the HP3000	(2) 152
TURBO-RAND: Fast Monte Carlo Sampling and Simula-	
tion	(2) 151

